

# IBM Cloud Pak for Business Automation Demos and Labs 2022

## Consume & Publish Automation Services in IBM Business Automation Workflow

Swapnil Agrawal  
[aswapnil@ca.ibm.com](mailto:aswapnil@ca.ibm.com)

V 1.2

## NOTICES

This information was developed for products and services offered in the USA.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing  
IBM Corporation  
North Castle Drive, MD-NC119  
Armonk, NY 10504-1785  
United States of America

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

## TRADEMARKS

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at [www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml).

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel Speed Step, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

ITIL is a Registered Trade Mark of AXELOS Limited.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

© Copyright International Business Machines Corporation 2020.

This document may not be reproduced in whole or in part without the prior written permission of IBM.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

# Table of Contents

<b>1 Introduction .....</b>	<b>4</b>
1.1 IBM Business Automation Workflow .....	4
1.2 Lab Overview.....	4
1.3 Lab Setup Instructions .....	4
<b>2 Exercise: Consume an Automation Service .....</b>	<b>5</b>
2.1 Introduction .....	5
2.2 Exercise Instructions.....	5
<b>3 Exercise: Create an External Service .....</b>	<b>15</b>
3.1 Introduction .....	15
3.2 Exercise Instructions.....	15
<b>4 Exercise: Create and Publish an External Service .....</b>	<b>18</b>
4.1 Introduction .....	18
4.2 Exercise Instructions.....	18

# 1 Introduction

## 1.1 IBM Business Automation Workflow

IBM Business Automation Workflow is software that combines business process management and case management capabilities in a single integrated workflow solution. It unites information process, and users to provide a 360-degree view of work to help drive more successful business outcomes.

Additional information about IBM Business Automation Workflow can be found [here](#).

## 1.2 Lab Overview

In this lab, you will learn how to how to work with automation services and external services.

[Automation services](#) provide a unified way to leverage services in the IBM Cloud Pak for Business Automation platform. Capabilities such as Decisions & Workflow can expose automation services to be consumed throughout the platform.

[External services](#) are used to call an application or a service that is external to IBM Business Automation Workflow. For example, you can create an external service to call a Java application that sends out emails.

As a part of this lab, you will consume an automation service published by the Decision capability to scoreboard (perform risk assessment and classification) a client. You will then create an external service that invokes a Java application that sends out emails. Finally, you will see how to publish the external service as an automation service so that the email capability can be leveraged by others in the platform.

**Approximate Duration:** 2 hours

## 1.3 Lab Setup Instructions

1. If you are performing this lab as a part of an IBM event, access the document that lists the available systems and URLs along with login instructions. For this lab, you will need to access **IBM Business Automation Studio**.
2. Download the **mailIntegration.jar** from the **Lab Data** folder onto your computer. This file contains the java implementation to send an email.


## 2 Exercise: Consume an Automation Service

### 2.1 Introduction


In this exercise, we will consume an automation service that is published using the IBM Automation Decision Service capability. This automation service invokes a decision that scoreboards a client i.e., gives an artificial intelligence backed risk assessment and classifies the client as Segment 1 or 2.

### 2.2 Exercise Instructions


1. In your browser, login to IBM Business Automation Studio using the Enterprise LDAP option.



The homepage contains cards that showcase recent artifacts across all installed Cloud Paks in the system. For IBM Cloud Pak for Business Automation, the recent [business applications](#) and [automation services](#) are shown.



2. In the top-left corner, click on the menu icon and select **Design** → **Business automations** to access the automation repository.



This brings up the Business automations page where you can create or reuse automations from different capabilities of IBM Cloud Pak for Business Automation. If a capability is not installed on the system, it will be greyed out.


The default selection **Published automation services** shows all automation services available for consumption. The one we will be consuming as a part of this exercise is **client\_onboarding\_decisions**.

3. Click on **client\_onboarding\_decisions** to view its details.

Operation	Description
feeAndServices	
scoreboard	

An automation service can contain multiple operations. The table on the right shows the operations available along with a description for each operation. For this exercise, we will consume the **scoreboard** operation as the description matches our goal of scoreboarding the client.

- Click on the **twisty** icon next to **scoreboard** to view more details about the operation.



Input	Type	Description
Industry	Industry	
Client	ClientInformation	


  

Output	Type	Description
Scoreboard	Scoreboard	


Here, we can see the inputs and outputs that are specified for this operation. This means that anyone consuming this automation service will need to provide an **industry** and **client information** as inputs and will receive the **scoreboard** in return.

We will be consuming this automation service in a Workflow.


- Click on the **Back** button in the upper-left corner.



- Click on **Create** → **Workflow** → **Workflow automation**.



- In the **Name** field, enter **UsrNNN Automation Services** where *UsrNNN* is your username.
- Provide an optional purpose.
- Click on **Create**.



Create a workflow automation ×

Includes case features

Name  
Usr011 Automation Services


Purpose (optional)  
Consume & publish automation services

Create

This opens the [IBM Process Designer](#) which is the primary modeling and designing tool in IBM Business Automation Workflow.

The left-hand side pane is the library panel where you can create and access different artifacts.


10. In the library panel, hover over **Services**, click on the **+** button and select **Automation Service**.



This brings up the list of published automation services where you can select which one you want to consume.

11. Click on **client\_onboarding\_decisions**.

12. Select only the **scoreboard** operation.




At the top, you can select which version of the automation service you want to consume. By default, the last published version is always chosen. We will leave that selection as is.

13. Click on **Add (1)**.

This creates the artifacts necessary to create the automation service in your workflow project and opens the Automation Service. This includes any [business objects](#) that are required to call the service. Let's take a look at the objects created.

14. Click on the title of your project to show the list of artifacts




As you can see, the **ClientInformation**, **industryType** & **scoreboard\_output** business objects are automatically discovered as they are the inputs and outputs required to invoke the service.

Next, we will take a deeper look at the automation service.

15. Click on the **twisty** icon for the **scoreboard** operation to see its details.

16. Click on the **twisty** icons for the **Input** and **Output**.



As you can see, the output contains 3 parameters and they're all simple types which is why no business objects were created for it.


17. Click on **client** under **Input**.

On the right, the details for the parameter are shown including its type: ClientInformation.

18. Click on **ClientInformation** to open the business object and see its parameters.




19. In the **Parameters** section, you can see the different parameters within this business object:




You can similarly explore the other inputs and outputs for the automation service. Next, we will create a [Service Flow](#) that can invoke this automation service.

20. In the library pane on the left, hover over **Services**, click on the **+** button and select **Service Flow**.



21. In the New Service Flow wizard, enter **Perform Scoreboarding** as the name.

22. Click on **Finish**.




The service flow editor should now open with a default diagram:




Now, we want to add a call to the automation service between the line connecting the **Start** and **End** nodes.


23. In the library pane on the left, click on **Services** and drag the **client\_onboarding\_decisions** automation service on the line connecting the **Start** and **End** node.



Your diagram should then look as follows:



24. Click on the **client\_onboarding\_decisions** service task between the **Start** and **End** nodes.  
 25. In the properties pane at the bottom, under **Implementation** select the **scoreboard** operation.



26. Switch to the **Data Mapping** tab.

The contents of this tab allow you to map constant values and/or variables to the input and output of the automation service.

27. Click on the **auto-map** icon for the **Input Mapping** section.



This brings up the variable creation wizard which allows us to automatically create the required variables. We want this service flow to be reusable so that it can be called by other artifacts (such as a human service). To do that, we can select the **client** and **industry** as inputs to this service flow. This means that anyone calling the **Perform Scoreboarding** service flow can provide these two variables as inputs.

28. Select the **Input** checkboxes for both **client** and **industry**.

<input checked="" type="checkbox"/> Variable Name	<input checked="" type="checkbox"/> Variable Type	<input checked="" type="checkbox"/> Input	<input type="checkbox"/> Output
<input checked="" type="checkbox"/> client	ClientInformation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> industry	industryType	<input checked="" type="checkbox"/>	<input type="checkbox"/>

We would check the output checkboxes if we were modifying the input. This way any artifact calling the service flow would be able to get the updated values as the output to the flow.

29. Click on **Finish**.

30. Repeat the steps above to auto-map the output variable **scoreboard**. In this case however, select the Output checkbox.

<input checked="" type="checkbox"/> Variable Name	<input checked="" type="checkbox"/> Variable Type	<input type="checkbox"/> Input	<input checked="" type="checkbox"/> Output
<input checked="" type="checkbox"/> scoreboard	scoreboard_output	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Your data mapping section should now look as follows:

**Input Mapping**

tw.local.client → client (ClientInformation)

tw.local.industry → industry (industryType)

**Output Mapping**

scoreboard (scoreboard\_output) → tw.local.scoreboard

31. Switch to the **General** tab.

32. Change the name of the task to **Perform Scoreboarding**.


General

Common

**Name:**

**Color:**  <

- 37. Click on the **industry** input variable.
- 38. **Check** the **Has default** checkbox.
- 39. Update the industry in the autogenerated script to **Finance**.



With the default values added, we are now ready to test the automation service.


- 40. Click on the **Diagram** tab at the top.




- 41. Click on the **Debug** icon in the upper-right corner.




- 42. In the Inspector on the right, click on the **Step over** button to invoke the automation service.



The Inspector should now refresh and the **Status** should be marked as **Finished**.



43. Click on the **twisty** icon to expand the **Data** section.
44. Expand the **scoreboard** variable.
45. Verify that the values shown match the screenshot below:



With that, you have successfully completed this exercise and learned how to consume an automation service. The service flow that encapsulates this automation service can now be reused throughout the project to call the decision service. If you want to learn more about this along with the basics of IBM Business Automation Workflow, take a look at the **Introduction to IBM Business Automation Workflow** lab.

In the next exercise, we will create an external service that calls out to a Java application to send emails.

## 3 Exercise: Create an External Service

### 3.1 Introduction

External services have various bindings like Java, REST API, Web Service, etc. In this exercise, we will create an external service that calls a Java application (.jar file) that sends an email.

**Note:** A single external service can only have one type of binding.


### 3.2 Exercise Instructions

1. Open the **UsrNNN Automation Services** workflow project if not already open.

You can do this by going to the Business automation repository in **IBM Business Automation Studio**.

We first need to add a jar file to the project. This file contains the Java implementation to send an email. The [integration samples page](#) contains additional workflow project exports and the sample Java code that can be used to interact with emails.

2. In the library pane on the left, hover over **Files**, click on the **+** button and select the **Server File** option.




3. Select the **mailIntegration.jar** file downloaded as a part of the lab setup instructions.
4. Click on **Finish**.



Next, we will create the external service that uses this jar file.

5. In the library pane, hover over **Services**, click on the **+** button and select the **External Service** option.



The external service discovery wizard pops up with two options. As we are integrating with a java application, we will use the default selection.

- Click on **Next**.
- For the **Select a method to discover the service** field, select **Java service from Server File** option.
- In the **Managed file** field, click on **Select** and pick the **mailIntegration.jar** file.
- For the **Java class** field, select the **Mail** class.

Select a method to discover the service.

Java service from Server File

External service name: Mail

Managed file:  mailIntegration.jar Select...

Java class: Mail (integration.mail)

The external service name is automatically updated to match the name of the Java class.

- Click on **Finish**.

This opens the external service editor with a similar look and feel to the automation service editor from the previous exercise.

- Expand the **sendMessage** operation and the **Input** section to view its details.


External Service

Mail


- getIMAPMessages
- getPOPMessages
- sendMessage
  - Input
    - smtpHost (String)
    - to (String)
    - from (String)
    - replyTo (String)
    - cc (String)
    - bcc (String)
    - subject (String)
    - contentType (String)
    - body (String)
    - importance (String)
    - attachmentFileNames (String)
  - Output

Here you can see the inputs that can be used to send an email. Next, we will create a service flow just like the previous exercise to test this external service and make it reusable. In the next exercise, we will see how to publish an automation service that calls this service flow.

- In the library pane on the left, hover over **Services**, click on the **+** button and select **Service Flow**.
- In the New Service Flow wizard, enter **Send Email** as the name.
- Click on **Finish** to open the service flow editor.
- In the library pane on the left, click on **Services** and drag the **Mail** external service on the line connecting the **Start** and **End** node.



Your diagram should now look as follows:



16. In the properties pane, under the **Implementation** section, select the **sendMessage** operation.



17. Switch the **Data Mapping** tab.

18. Click on the **auto-map** icon for the **Input Mapping** section.

19. In the variable creation wizard, select the **Input** checkboxes for all variables.

Variable Name	Variable Type	Input	Output
<input checked="" type="checkbox"/> attachmentFileNames	String	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> bcc	String	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> body	String	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> cc	String	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> contentType	String	<input checked="" type="checkbox"/>	<input type="checkbox"/>

20. Click on **Finish**.

21. Click on the **Finish editing** button in the upper-right corner.



This completes the exercise. You can optionally choose to test this service flow by providing default values to the input variables, but you will need access to an email account with an SMTP server.

## 4 Exercise: Create and Publish an External Service

### 4.1 Introduction

In this exercise, we will create an automation service containing an operation that invokes this service flow. We will then see how to publish this automation service.

### 4.2 Exercise Instructions

1. Open the **UsrNNN Automation Services** workflow project if not already open.


You can do this by going to the Business automation repository in **IBM Business Automation Studio**.

2. In the library pane on the left, hover over **Exposed Automation Services**, click on the + button and select the **REST Service** option.



3. In the **Name** field, enter **Email\_Services**.

4. Click on **Finish**.



This opens the **REST Service** editor where you can add multiple operations. In this exercise, we will only add one operation to send emails.

REST Services also provide an OpenAPI definition URL. The OpenAPI spec defines a standard, language-agnostic interface for REST APIs.




**Note:** The URL you see may be different compared to what's in the screenshot based on your lab environment.

5. In the **Operations** section, click on + to add a new operation.




- In the **Operation Detail** section on the right, enter **SendEmail** in the **Operation name** field.
- For the **Implementation** field, click on the **Select** button and select the **Send Email** service flow created in the previous exercise.



Next, we will need to create a version of this workflow project so that the REST service can be published as an automation service.


- Click on the **Version** button in the upper right corner and select **Create a snapshot**.




- In the snapshot creation wizard, enter **v1.0** in the **Name** field.
- Click on **Finish**.

Next, we will publish this version so that is available for use throughout the platform.


- Click on **Business automations** in the upper-left corner.



- In the top-left corner, click on the menu icon and select **Design** → **Business automations** to access the automation repository.




- Click on **Workflow**.



14. Click on the **UsrNNN Automation Services** tile to open its details. Do not click on the open button but on the tile itself.

The project details open on the right.


15. Click on the **Automation Services** tab.




This tab shows the current version, which automation services it provides and depends on.

16. Click on the **Versions** tab.

17. Hover over the **v1.0** version and click on the 3-dot menu, then select **Publish**.



This brings up the dialog to add notes and permissions to the published automation service.



18. Click on the **Restrict access** toggle to turn access control on.

Permissions  
Add users or groups to the list of the people who are allowed to use published automation services.

Restrict access ⓘ  On

Users & groups (1) Q Add +

Name	Role
 usr001	Admin <span>▼</span>

Note that you can assign different roles to the users and groups in this automation service and that you can add additional users and groups using the **Add** button.

19. Click on **Publish**.

The version status will show shows **Published** after a few seconds.

Version	Created	Status	Notes
v1.0	6/4/2021	Published	⋮

20. Click on the **Back** button in the upper-left corner.

← Workflow automations (23) Q ⚙

**Usr011 Automation Services**  
Last edited 06/04/2021

21. Click on **All business automations**.

← All business automations

- Workflow →
- Templates →
- Toolkits →
- Administration →
- Servers →

22. The list of published automation services will now show the **Email\_Service** automation service.

Published automation services (4) 🔍 ⚙️

Email_Services Workflow	11/10/2021
Client_Onboarding_Workflows_External External workflow	10/18/2021
client_onboarding_decisions Decision	10/18/2021
Client_Onboarding_Workflows Workflow	10/18/2021

**Congratulations on completing the lab!**